KHCB Network

Paul Easter
Technical Director
SBE Certified Professional Broadcast Engineer
WW5PA ARRL member
www.pauleaster.com
www.ww5pa.com

KHCB Network

Our network consists of:

29 English FM stations

12 Spanish Stations

We own 13 towers.

All programming is uplinked at our Houston studios. We have an English and spanish format.

We also stream Chinese and Vietnamese programming.

KHCB Network

Our programming is non commercial
listener supported and bible oriented.
About 50/50 music and teaching.
More info at www.khcb.org.

KHCB Network

Davicom Ideas

NAB 2015

- Start vent fans and louvered intakes based on a combination of outside temperature and humidity.

- Start vent fans and louvered intakes based on a combination of outside temperature and humidity.
- **We ping local devices and reboot each one if pings are lost.**

- Start vent fans and louvered intakes based on a combination of outside temperature and humidity.
- We ping local devices and reboot each one if pings are lost.
- **We ping web sites and reboot routers, WISP radios and other devices based on failures.**

- Start vent fans and louvered intakes based on a combination of outside temperature and humidity.
- We ping local devices and reboot each one if pings are lost.
- We ping web sites and reboot routers, WISP radios and other devices based on failures.
- **We bring up RF drivers based on presence of voltage on PA.**

- Start vent fans and louvered intakes based on a combination of outside temperature and humidity.
- We ping local devices and reboot each one if pings are lost.
- We ping web sites and reboot routers, WISP radios and other devices based on failures.
- We bring up RF drivers based on presence of voltage on PA.
- **We switch audio to other sources based on downlink or STL failure.**

- Start vent fans and louvered intakes based on a combination of outside temperature and humidity.
- We ping local devices and reboot each one if pings are lost.
- We ping web sites and reboot routers, WISP radios and other devices based on failures.
- We bring up RF drivers based on presence of voltage on PA.
- We switch audio to other sources based on downlink or STl failure.
- **We improve the dedicated power input using a phase power monitor, then use that to trigger a shutdown to protect 3 phase motors.**

- Start vent fans and louvered intakes based on a combination of outside temperature and humidity.
- We ping local devices and reboot each one if pings are lost.
- We ping web sites and reboot routers, WISP radios and other devices based on failures.
- We bring up RF drivers based on presence of voltage on PA.
- We switch audio to other sources based on downlink or STl failure.
- We improve the dedicated power input using a phase power monitor, then use that to trigger a shutdown to protect 3 phase motors.
- High temp shut down. Over temp shuts down all amplifiers.

- Start vent fans and louvered intakes based on a combination of outside temperature and humidity.
- We ping local devices and reboot each one if pings are lost.
- We ping web sites and reboot routers, WISP radios and other devices based on failures.
- We bring up RF drivers based on presence of voltage on PA.
- We switch audio to other sources based on downlink or STI failure.
- We improve the dedicated power input using a phase power monitor, then use that to trigger a shutdown to protect 3 phase motors.
- High temp shut down. Over temp shuts down all amplifiers.
- **Facebook page for Davicom users.**

Challenges

- **Decent internet in rural Texas and Louisiana.**

Challenges

- Decent internet in rural Texas and Louisiana.
- **Having to resort to expensive providers such as Verizon and some WISPs. Our internet has to support streaming for emergencies.**

Challenges

- Decent internet in rural Texas and Louisiana.
- Having to resort to expensive providers such as Verizon and some WISPs. Our internet has to support streaming for emergencies.
- **Lightning and power surges.**

Challenges

- Getting good internet in rural Texas and Louisiana.
- Having to resort to expensive providers such as Verizon and some WISPs. Our internet has to support streaming for emergencies.
- Lightning and power surges.
- Limited budget and used equipment.


DavLink - Name: KHCB-FM 105.7 ID: 1057 - 2015-04-12 21:17:36
File Edit Setup Unit View Tools Window Help
KHCB FM
Transmitter 1
Transmitter 2
Flow Chart
Classic Screen 5
Classic Screen 6
Classic Screen 7
Disconnect!
Modulation
Power to Antenna
KHCB FM
TX 1 Controls
Trans 1 FIL ON
Trans 1 PLATE ON
Trans 1 PLATE OFF
Coax Switch Control
Coax Switch TX 1
Coax Switch TX 2
TX 2 Controls
Trans 2 Fil On
Trans 2 Fil Off
Trans 2 Plate On
Trans 2 Plate Off
Barix Box Reset
ClearModemReset
Power OK
Generator Off
Satellite Fault
BER OK DSP 6000
Utility Power is On
Coax Sw - TXMTR1
Room Temperature
71.8 F
Line Pressure Normal
Bird NOT tripped
Transmitter 1
TX 1 Plate Voltage
9.04 kV
TX 1 Plate Current
3.75 A
TX 1 Power Out
92.5 %
TX1 FIL ON
Transmitter 2
TX 2 Plate Voltage
0.079 kV
TX 2 Plate Current
0.014 A
TX 2 Power Out
0.624 %
TX2 Filament Off
System
Alarm Calls
Battery Test
Mode
Pause
Local
Input
Enable
Disable
Relay
Pulse
Force ON
Force OFF
Release
System Log
Send
Delete
View
System Status
Release Link
Ready
Connected: 192.168.4.20:23
NUM
Start
DavLink - Name: KHCB...
8:17 PM